Horizontal Data

Vertical Data

Virginia State Plane South NAD83(93)(feet) North American Vertical Datum-1988 (feet)

Northing: 3,716,515.179

Elevation: 4.938

Easting:

12,126,134.642

TYPE OF MARK: Aluminum disk with magnet attached

STAMPING: Mathews County


YEAR: 1997

No.-1

DETAILED DESCRIPTION:

To reach the station from the intersection of Route 636 & Route 633 proceed NE along Route 636, .4 miles to the end of said road and the station to the left.

The monument, a 3" aluminum disk set in concrete 2" below ground and located in the grass next to a number of rocks by the waters edge. It lies 9' NW of the "Unsafe climbing on rocks" sign, 5' north of the end of Route 636 and 60' SE of the NE corner of house.



Horizontal Data

Vertical Data

Virginia State Plane South NAD83(93)(feet) North American Vertical Datum-1988 (feet)

Elevation: 5.587

Northing: 3,714,318.538 Easting: 12,125,304.362

TYPE OF MARK: Aluminum disk with magnet attached

STAMPING: Mathews County

YEAR: 1997


No.-2

DETAILED DESCRIPTION

At the intersection of Route 636 & Route 633 proceed to NE quadrant of said intersection.

The monument, a 3" aluminum disk set in concrete 2" below the ground and located in the grass at the top of a ditch. It lies 12' NW of power pole #DC62, 2' east of edge of North Bay Haven Road at Route 636 and 2.8' SW of a stop sign.

SKETCH:





Horizontal Data

Vertical Data

Virginia State Plane South NAD83(93)(feet) North American Vertical Datum-1988 (feet)

Elevation: 1.686

Northing: 3,709,748.065 Easting: 12,123,529.140

TYPE OF MARK: Aluminum disk with magnet attached

STAMPING: Mathews County

YEAR: 1997


No.-3

DETAILED DESCRIPTION:

To reach the station from the intersection of Route 672 & Route 636 proceed 0.3 miles SW along Route 636 to the end of said road to the station on the left.

The monument, a 3" aluminum disk set in concrete 2" below ground and located in the grass at the waters edge. It lies 5.8' west of 0.5x0.5' wood post, 12' SW of the end of asphalt road (Route 636) and 18' SE of the end of state maintenance sign.

SKETCH:





Horizontal Data

Vertical Data

Virginia State Plane South NAD83(93)(feet)

North American Vertical Datum-1988 (feet)

Elevation: 7.999

Northing: 3,715,068.766 Easting: 12,123,326.791

TYPE OF MARK: Aluminum disk with magnet attached

STAMPING: Mathews County


YEAR: 1997

No.-4

DETAILED DESCRIPTION

At the intersection of Route 664 & Route 633 proceed to the north easterly side of Route 644.

The monument, a 3" aluminum disk set in concrete flush with the ground and located in the grass shoulder of Route 664. It lies 15.3' SW of power pole #XD97, 27' SE of the SE corner of garage and 3.7' NW of the edge of Route 664.





Horizontal Data

Virginia State Plane South NAD83(93)(feet)

Northing: 3,710,918.786 Easting: 12,120,099.442

Vertical Data

North American Vertical Datum-1988 (feet)

Elevation: 1.923

TYPE OF MARK: Aluminum disk with magnet attached

STAMPING: Mathews County

YEAR: 1997


No. 5

DETAILED DESCRIPTION:

To reach the station from the intersection of Route 633 & Route 634 proceed south along Route 634 about 0.4 of a mile to the station on the right.

The monument, a 3" aluminum disk set in concrete flush with the ground and located in the grass shoulder of Route 634. It lies 2.9' east of the end of a state maintenance sign, 6.2' east of the cable pedestal and 2.8' NW of the edge of Route 634.

SKETCH:





Horizontal Data

Vertical Data

Virginia State Plane South NAD83 (93)(feet) North American Vertical Datum-1988 (feet)

Northing: 3,709,671.657 Easting: 12,118,029,429

Elevation: 2.923

TYPE OF MARK: Aluminum disk with magnet attached

STAMPING: Mathews County

YEAR: 1997

No.-6

DETAILED DESCRIPTION:

To reach the station from the intersection of Route 633 & Route 223 proceed SW along Route 223, 1 mile to the station on the left.

The monument, a 3" aluminum disk set in concrete, flush with the ground and located in a grass patch between Route 223 & the water. It lies 87' north of the end of guard rail, 21' NW of a 4" Locust tree and 12' east of the edge of Route 223.

SKETCH:

RAIL



Horizontal Data

Vertical Data

Virginia State Plane South NAD83 (93)(feet) North American Vertical Datum-1988 (feet)

Northing: 3,706,793.942

Elevation: 7.930

Easting: 12,118,136.434

TYPE OF MARK: Aluminum disk with magnet attached

STAMPING: Mathews County


YEAR: 1997

No.-7

DETAILED DESCRIPTION:

To reach the station from the intersection of Route 223 & Route 706 proceed NE along Route 223 about 150' to the station on the left.

The monument, a 3" aluminum disk set in concrete flush to the ground and located in the grass shoulder of Route 223. It lies 5' NW of the edge of Route 223, 27' east of power pole #ND10 and 15' NE of the edge of gravel driveway.



Horizontal Data

Virginia State Plane South NAD83(93)(feet)

Northing: 3,704,956.936 Easting: 12,117,663.663 Vertical Data

North American Vertical Datum-1988 (feet)

Elevation: 7.943

TYPE OF MARK: Aluminum disk with magnet attached

STAMPING: Mathews County

YEAR: 1997

No.-8


DETAILED DESCRIPTION:

To reach the station from the intersection of Route 716 & Route 223 proceed NE along Route 223 about 350' to the station on the left.

The monument, a 3" aluminum disk set in concrete 2" below the ground and located on the top of a grass ditch at the edge of Route 223. It lies 3.8' NW of the edge of Route 223, 35.7' SE of the church sign and 21.3' NE of the Route 716 sign.

SKETCH:

CHURCH OF NAZARENE PROPERTY





Horizontal Data

Vertical Data

Virginia State Plane South NAD83(93)(feet) North American Vertical Datum-1988 (feet)

Northing: 3,703,677.787 Elevation: 12.936

Easting: 12,112,918.833

TYPE OF MARK: Aluminum disk with

STAMPING: Mathews County


YEAR: 1997

magnet attached No. 9

DETAILED DESCRIPTION:

To reach the station from the intersection of Route 198 and Route 223, proceed north along Route 198, 0.3 miles to the station on the right.

The monument, a 3" aluminum disk set in concrete, flush with the grass shoulder on the east side of Route 198. It lies 36 feet south of a gravel driveway, 12 feet east of the edge of Route 198 and 54 feet northwest of power pole #CL58.





Horizontal Data

Virginia State Plane South NAD83(93)(feet)

Northing: 3,702,382.474 Easting: 12,113,562.958

Vertical Data

North American Vertical Datum-1988 (feet) Elevation: 12.283

TYPE OF MARK: Aluminum disk with magnet attached

STAMPING: Mathews County

YEAR: 1997


No.-10

DETAILED DESCRIPTION

To reach the station from the intersection of Route 223 & Route 198 proceed north along Route 198 about 85' to the station on the left.

The monument, a 3" aluminum disk set in concrete 2" below ground and located in a grass strip between the church parking lot and the west side of Route 198. It lies 15' NE of power pole #JD54, 6.1' NE of a 0.5x0.5' concrete bollard and 2.6' west of the back of concrete curb running along Route 198.

SKETCH:



Horizontal Data

Vertical Data

Virginia State Plane South NAD83(93)(feet) North American Vertical Datum-1988 (feet)

Elevation: 13.238

Northing: 3,712,889.877 Easting: 12,108,914,705

TYPE OF MARK: Aluminum disk with

STAMPING: Mathews County

YEAR: 1997

magnet attached No.-11

DETAILED DESCRIPTION

To reach the station from the intersection of Route 626 & Route 681 proceed north easterly along Route 681 about 0.2 of a mile to the station on the right.

The monument, a 3" aluminum disk set in concrete 2" below the ground and located at the edge of a grass meadow on the south side of Route 681. It lies 125' west of the quadrant of a Gravel Road, 206' east of power pole #H304R19 and 6' south of Gravel Road Route 681.

SKETCH:

HALLIEFORD GRAVEL BY FOWER MON. SIN FOR FOR POLE FOR POLE



Horizontal Data

Vertical Data

Virginia State Plane South NAD83(93)(feet) North American Vertical Datum-1988 (feet)

Northing: 3,712,677.439 Elevation: 14.147

Easting: 12,108,422.232

TYPE OF MARK: Aluminum disk with

STAMPING: Mathews County


YEAR: 1997

magnet attached No.-12

DETAILED DESCRIPTION:

To reach the station from the intersection of Route 681 & Route 626 proceed north easterly along Route 681 about 0.15 of a mile to the station on the left.

The monument, a 3" aluminum disk set in concrete flush to the ground and located at the edge of a grass meadow on the north side of Gravel Road, Route 681. It lies 121' NE of an 8" beach tree, 6' north of the north edge of Route 681 and 36' north of power pole #R074.



Horizontal Data

Vertical Data

Virginia State Plane South NAD83(93)(feet)

Northing: 3,715,019.518

Easting: 12,096,905.241

North American Vertical Datum-1988 (feet)

Elevation: 28,264

TYPE OF MARK: Aluminum disk with magnet attached

STAMPING: Mathews County

YEAR: 1997


No.-13

DETAILED DESCRIPTION:

At the intersection of Route 198 & Route 630 proceed to the south side of Route 198 to the station.

The monument, a 3" aluminum disk set in concrete 2" below the ground and located in the grass shoulder on the south side of Route 198. It lies 39' east of a state route sign, 8.5' south of the edge of Route 198 and 75' SE of power pole #62600.

SKETCH:





Horizontal Data

Vertical Data

North American Vertical Datum-1988 (feet)

Virginia State Plane South NAD83(93)(feet)

Northing: 3,714,698.568

Elevation: 29.032

Easting: 12,095,721.110

TYPE OF MARK: Aluminum disk with magnet attached

STAMPING: Mathews County

YEAR: 1997


No.-14

DETAILED DESCRIPTION:

To reach the station from the intersection of Route 198 & Route 629 proceed west along Route 198 about 75' to the station on the right.

The monument, a 3" aluminum disk set in concrete 2" below the ground and located north of Route 198 on top of the slope of a grass ditch. It lies 9' SE of a 24" RCP, 60' west of a head wall and 9.2' north of the edge of Route 198.

SKETCH:





Horizontal Data

Vertical Data

Virginia State Plane South NAD83(93)(feet)

North American Vertical Datum-1988 (feet)

Northing: 3,710,709.775 12,088,969.531 Easting:

Elevation: 33.701

TYPE OF MARK: Aluminum disk with

STAMPING: Mathews County

YEAR: 1997

magnet attached


No. 15

DETAILED DESCRIPTION:

To reach the station from the intersection of Route 198 & Route 3 proceed west along Route 198 about 100' to the station on the left.

The monument, a 3" aluminum disk set in concrete 2" below the ground and located in the grass on the south side of Route 198. It lies 12' SW of the beginning point of a concrete driveway apron, 3.8' south of the edge of Route 198 and 8' north of the state route sign.

SKETCH:





Horizontal Data

Vertical Data

Virginia State Plane South NAD83(93)(feet)

Northing: 3,710,001.756 Easting: 12,087,263.308 North American Vertical Datum-1988 (feet)

Elevation: 34.199

TYPE OF MARK: Aluminum disk with magnet attached

STAMPING: Mathews County

YEAR: 1997


No. 16

DETAILED DESCRIPTION:

To reach the station from the intersection of Route 198 & Route 3 proceed west along Route 198 about 0.4 of a mile to the station on the left.

The monument, a 3" aluminum disk set in concrete flush to the ground and located in a patch of grass in front of Church. It lies 69' SW of power pole #YK09, 6.6' south of the edge of Route 198 and 18' north of the edge of gravel driveway.

SKETCH:





Horizontal Data

Virginia State Plane South Zone (feet)

Northing: 3,697,666.696 Easting: 12,112,558.461

Vertical Data

North American Vertical Datum-1988 (feet) Elevation: 12,536

TYPE OF MARK: Aluminum disk with magnet attached

STAMPING: Mathews County

YEAR: 1997


No. 17

DETAILED DESCRIPTION

To reach the station from the intersection of Route 198/14 and Route 621 proceed north along Route 198/14 about 0.45 of a mile to the intersection of Route 14 west & Route 198 west and the station to the right.

The monument, a 3" aluminum disk set in concrete 2" below the ground and located in a patch of grass on the southeasterly side of Route 198/14. It lies 12' NW of power pole #75, 4.8' north of the NW corner of grate inlet and 15' east of the edge of Route 198/14.

SKETCH:





Horizontal Data

Vertical Data

Virginia State Plane South NAD83(93)(feet) North American Vertical Datum-1988 (feet)

Northing: 3,695,611.588

Elevation: 14.580

Easting: 12,112,653,308

TYPE OF MARK: Aluminum disk with

STAMPING: Mathews County

YEAR: 1997

magnet attached


No. 18

DETAILED DESCRIPTION:

To reach the station from the intersection of Route 621 & Route 198 proceed south on Route 621 about 100' to the station on the left.

The monument, a 3" aluminum disk set in concrete flush to the ground is located in the grass at the south easterly side of Route 621. It lies 69' NE of power pole #93, 31' SW of a 10" cedar and 2.4' SE of the edge of Route 621.

SKETCH:





Horizontal Data

Vertical Data

Virginia State Plane South NAD83(93)(feet)

North American Vertical Datum-1988 (feet)

Northing: 3,691,282.559

Elevation: 12.142

Easting: 12,111,289.930

TYPE OF MARK: Aluminum disk with magnet attached

STAMPING: Mathews County

YEAR: 1997


No. 19

DETAILED DESCRIPTION:

To reach the station from the intersection of Route 611 & Route 621 proceed to the NW quadrant of the said intersection.

The monument, a 3" aluminum disk set in concrete 2" below the ground and located on the top of the slope of a grass ditch. It lies 26.5' NW of the north end of concrete island, 27.7' east of the end of a 27" CMP and 5.7' NW of the edge of Route 621.

SKETCH:





Horizontal Data

Vertical Data

Virginia State Plane South NAD83(93)(feet)

North American Vertical Datum-1988 (feet)

Northing: 3,691,826.386 Easting: 12,114,961.380

Elevation: 11,539

TYPE OF MARK: Aluminum disk with magnet attached

STAMPING: Mathews County

YEAR: 1997


No. 20

DETAILED DESCRIPTION:

To reach the station from the intersection of Route 14 & Route 198 proceed north along Route 198 about .35 of a mile to the station on the right.

The monument, a 3" aluminum disk set in concrete flush with the ground and located in the grass on the south easterly side of Route 198. It lies 63' north of a 36" pine, 27' SE of the edge of Route 198 and 5.5' SW of the edge of dirt driveway.

SKETCH:





Horizontal Data

Virginia State Plane South NAD83(93)(feet)

Northing: 3,689,614.485 Easting: 12,113,711.394

Vertical Data

North American Vertical Datum-1988 (feet)

Elevation: 10.200

TYPE OF MARK: Aluminum disk with magnet attached

STAMPING: Mathews County


YEAR: 1997

No. 21

DETAILED DESCRIPTION:

To reach the station from the intersection of Route 611 & Route 14 in the town of Mathews proceed NW along Route 611 about .35 of a mile to the station on the left.

The monument, a 3" aluminum disk set in concrete 2" below ground and located in a patch of grass in front of Thomas Hunter School. It lies 18.2' SE of a brick billboard, 15' NW of the end of concrete sidewalk at bus entrance and 24' SW of the end of concrete S/W running along Route 611.





Horizontal Data

Vertical Data

Virginia State Plane South NAD83(93)(feet)

North American Vertical Datum-1988 (feet)

Northing: 3,688,917.866

Elevation: 4.419

Easting: 12,114,860.666

TYPE OF MARK: Aluminum disk with magnet attached

STAMPING: Mathews County

YEAR: 1997


ached No. 22

DETAILED DESCRIPTION:

To reach the station from the intersection of Route 611 & Route 14 in the town of Mathews proceed NW along Route 611, 0.1 miles to the station on the left.

The monument, a 3" aluminum disk set in concrete flush with the ground and located in the grass strip between the sidewalk and curb along Route 611. It lies 96' SE of the NE corner of curb inlet, 0.80' SW of the concrete sidewalk and 50' NW of the NW corner of asphalt driveway leading to the Church.

SKETCH:





Horizontal Data

Vertical Data

Virginia State Plane South NAD83(93)(feet) North American Vertical Datum-1988 (feet)

Northing: 3,687,773.722 Easting: 12,115,316.317

Elevation: 7.001

TYPE OF MARK: Aluminum disk with magnet attached

STAMPING: Mathews County


YEAR: 1997

No. 23

DETAILED DESCRIPTION:

To reach the station from the intersection of Route 611 & Route 14 proceed NE along Route 14, .2 miles to the station on the right.

The monument, a 3" aluminum disk set in concrete flush with the ground and located in the grass behind the concrete S/W on the southern side of Route 14. It lies 3.8' NE of the edge of asphalt driveway, 5.3' south of power pole #GK53 and 1.7' SE of the back edge of concrete sidewalk.





Horizontal Data

Vertical Data

Virginia State Plane South NAD83(93)(feet) North American Vertical Datum-1988 (feet)

Northing: 3,686,665.198 Elevation: 6.680

Easting: 12,114,810.613

TYPE OF MARK: Aluminum disk with

STAMPING: Mathews County


YEAR: 1997

No. 24 magnet attached

DETAILED DESCRIPTION:

To reach the station from the intersection of Route 611 & Route 14 proceed SW along Route 14 about 80' to the station on the left.

The monument, a 3" aluminum disk set in concrete flush with ground and located in the grass at the edge of a grass field at the southern side of Route 14. It lies 42' NE of power pole #F131, 3.9' SE of the edge of Route 14 and 21' SW of the Route 611 sign.



Horizontal Data

Virginia State Plane South NAD83(93)(feet)

Northing: 3,690,670.726 Easting: 12,121,141.638

Vertical Data

North American Vertical Datum-1988 (feet)

Elevation: 10,348

TYPE OF MARK: Aluminum disk with magnet attached

STAMPING: Mathews County


YEAR: 1997

No. 25

DETAILED DESCRIPTION:

To reach the station from the intersection of Route 643 & Route 642 proceed SW along Route 642 about .6 mile to the station on the left.

The monument, a 3" aluminum disk set in concrete flush with the ground and located in the grass at the edge of a thick wooded area south of asphalt Route 642. It lies 54' south of power pole #5A77, 4.2' SE of the edge of Route 642 and 27' north of a 24" white oak.





Horizontal Data

Virginia State Plane South NAD83(93)(feet)

Northing: 3,692,560.010 Easting: 12,123,458.795

Vertical Data

North American Vertical Datum-1988 (feet)

Elevation: 8.294

TYPE OF MARK: Aluminum disk with magnet attached

STAMPING: Mathews County


YEAR: 1997

No. 26

DETAILED DESCRIPTION:

To reach the station from the intersection of Route 642 and Route 643, proceed southwest along Route 642 approximately 120 feet to the staion on the left.

The monument, a 3" aluminum disk, set in concrete 2" below the ground. Station is located at the edge of a grass field on the south side of Route 642. It lies 14.8' east of power pole #32, 6' southeast of the edge of Route 642 and 63' southwest of historical facts marker #N86.





Horizontal Data

Vertical Data

Virginia State Plane South NAD83(93)(feet)

North American Vertical Datum-1988 (feet)

Northing: 3,696,649.292 Easting: 12,123,750.895

Elevation: 7.152

TYPE OF MARK: Aluminum disk with magnet attached

STAMPING: Mathews County

YEAR: 1997


No. 27

DETAILED DESCRIPTION:

To reach the station from the intersection of Route 642 & Route 665 proceed NE along Route 642 about .15 miles to the station on the left.

The monument, a 3" aluminum disk set in concrete flush with the ground. Station is located in the grass at the edge of a field of wild flowers on the westerly side of Route 642. It lies 93' SW of power pole #59322, 2' NW of the edge of Route 642 and about 400' from the NE corner of existing house.

SKETCH:





Horizontal Data

Vertical Data

Virginia State Plane South NAD83(93)(feet) North American Vertical Datum-1988 (feet)

Northing: 3,698,214.010

Elevation: 6.394

Easting: 12,124,154.961

TYPE OF MARK: Aluminum disk with magnet attached

STAMPING: Mathews County

YEAR: 1997


No. 28

DETAILED DESCRIPTION:

To reach the station from the intersection of Route 642 & Route 708 proceed NE along Route 642 about 0.1 of a mile almost to the end of Route 642 and the station to the right.

The monument, a 3" aluminum disk set in concrete, flush with the ground. Station is located in the grass at the edge of a corn field on the eastern side of Route 642. It lies 69' south of a 26" twin cedar, 5' SE of the edge of asphalt and 75' SW of power pole #AA4Z.

SKETCH:





Horizontal Data

Virginia State Plane South NAD83(93)(feet)

Northing: 3,690,587.958 Easting: 12,126,076.674

Vertical Data

North American Vertical Datum-1988 (feet)

Elevation: 4.383

TYPE OF MARK: Aluminum disk with magnet attached

STAMPING: Mathews County

YEAR: 1997


No. 29

DETAILED DESCRIPTION:

At the intersection of Route 643 & Route 644 proceed to the NW quadrant of the intersection to the station.

The monument, a 3" aluminum disk set in concrete 2" below the ground. Station is located in the corner of a grass field at the southwesterly side of Route 643. It lies 15' NW of the edge of Route 644, 21' east of power pole #DA80 and 21' south of a telephone pedestal.

SKETCH:





Horizontal Data

Vertical Data

Virginia State Plane South NAD83(93)(feet) North American Vertical Datum-1988 (feet)

Northing: 3,689,953.374 Easting: 12,125,574.307

Elevation: 5,292

TYPE OF MARK: Aluminum disk with magnet attached

STAMPING: Mathews County


YEAR: 1997

No. 30

DETAILED DESCRIPTION:

To reach the station from the intersection of Route 644 & Route 643 proceed 0.15 miles SW along Route 644 to the station on the left.

The monument, a 3" aluminum disk set in concrete flush with the ground. Station is located in the SE corner of the church property next to a field of wild flowers in the grass. It lies 9' NW of power pole # GN58, 3.7' west of a telephone pedestal 5.8' SE of concrete parking stop.



Horizontal Data

Vertical Data

Virginia State Plane South NAD83(93)(feet) North American Vertical Datum-1988 (feet)

Northing: 3,688,061.645 Elevation: 2.343

Easting: 12,131,782.432

TYPE OF MARK: Aluminum disk with magnet attached

STAMPING: Mathews County

YEAR: 1997


No. 31

DETAILED DESCRIPTION:

At the intersection of Route 717 & Route 645 proceed to the northeasterly side of Route 645 and the station.

The monument, a 3" aluminum disk set in concrete 2" below ground. Station is located near the northeasterly edge of asphalt Route 645 in the grass. It lies 9' south of power pole #PK60, 4.5' NE of the edge of Route 645 and 48' NE of a stop sign.

SKETCH:





Horizontal Data

Virginia State Plane South NAD83(93)(feet)

Northing: 3,687,524.285 Easting: 12,131,599.230

Vertical Data

North American Vertical Datum-1988 (feet)

Elevation: 2.218

TYPE OF MARK: Aluminum disk with magnet attached

STAMPING: Mathews County

YEAR: 1997

No. 32

DETAILED DESCRIPTION

To reach the station from the intersection of Route 717 & Route 645 proceed SW 0.1 of a mile along Route 717 to the station on the right.

The monument, a 3" aluminum disk set in concrete 2" below ground. Station is located at the edge of a large grass field on the west side of Route 717. It lies 7' west of the edge of asphalt road, 69' NW of the edge of gravel driveway and 90' SW of the point of curve of Rte. 717.

SKETCH:



Horizontal Data

Vertical Data

Virginia State Plane South NAD83(93)(feet)

North American Vertical Datum-1988 (feet) Elevation: 10.679

Northing: 3,690,925.680

Easting: 12,114,929.035

TYPE OF MARK: Brass Disk set in Granite flush

STAMPING: USGS Magnetic YEAR: 1997

station

DETAILED DESCRIPTION:

To reach the station from the intersection of Route 14 & Route 198 in the town of Mathews proceed north along combination Route 198/14 about 0.2 of a mile to the station on the right.

The monument, a 3" brass disk set in granite flush to the ground. Station is located in a patch of grass in front of the school. It lies 96' SW of a marble memorial, 57' west of the back of concrete sidewalk and 114' east of the SE corner of school.

SKETCH:

